## Product Specification

## **EXTRAWEAR SUPER**

## 42055-B00-AA330

Bi-colour medium weight flock lined nitrile over natural rubber gloves					
<ul> <li>* Anatomically shaped for</li> <li>* Pure cotton lining to ab</li> <li>* Anti-slip pattern for go</li> <li>* Straight cuff</li> <li>* Bacteriostatic and fung</li> <li>* Chlorinated for improv</li> </ul>	or comfort pororb perspiration od grip in wet an istatic additives ed chemical resis	d dry condition	s		
Horticulture, Household applications, Facility maintenance					
0.55 +/- 0.05 mm Flocklined Honeycomb CIH Chlorinated Straight unpinked Chlorinated Red on Orange R1/O13, 1.00 Conforms to PPE Regula	Yellow on Yello tion EU 2016/42	5 to (Simple De			ent after assessment
ASTM D4679 of 2002					
Size 6-6.5 7-7.5 8-8.5 9-9.5 XL Shelf Life 1 Years	Palm 198 208 215 235 250 Circum	Wrist 183 190 202 226 237 ference in mm, +/	Cuff 248 251 268 280 293 /- 5 mm	Length 330 330 330 330 330 Tol. +/- 10 mm	
	<ul> <li>Nitrile over natural rub</li> <li>Anatomically shaped fe</li> <li>Pure cotton lining to ab</li> <li>Anti-slip pattern for go</li> <li>Straight cuff</li> <li>Bacteriostatic and fung</li> <li>Chlorinated for improv</li> <li>Low in soluble proteins</li> <li>Horticulture, Household at</li> <li>Natural/Nitrile blended r</li> <li>0.55 +/- 0.05 mm</li> <li>Flocklined</li> <li>Honeycomb CIH</li> <li>Chlorinated</li> <li>Straight unpinked</li> <li>Chlorinated</li> <li>Red on Orange R1/O13, 1.00</li> <li>Conforms to PPE Regulation internally at DPL's ISO 1</li> <li>ASTM D4679 of 2002</li> <li>Size</li> <li>6-6.5</li> <li>7-7.5</li> <li>8-8.5</li> <li>9-9.5</li> <li>XL</li> </ul>	<ul> <li>Nitrile over natural rubber</li> <li>Anatomically shaped for comfort</li> <li>Pure cotton lining to absorb perspiration</li> <li>Anti-slip pattern for good grip in wet an</li> <li>Straight cuff</li> <li>Bacteriostatic and fungistatic additives</li> <li>Chlorinated for improved chemical resistives</li> <li>Low in soluble proteins</li> <li>Horticulture, Household applications, Factor</li> <li>Natural/Nitrile blended rubber</li> <li>0.55 +/- 0.05 mm</li> <li>Flocklined</li> <li>Honeycomb CIH</li> <li>Chlorinated</li> <li>Straight unpinked</li> <li>Chlorinated</li> <li>Red on Orange R1/O13, Yellow on Yello</li> <li>1.00</li> <li>Conforms to PPE Regulation EU 2016/42</li> <li>internally at DPL's ISO 17025 Accredited</li> <li>ASTM D4679 of 2002</li> <li>Size</li> <li>Palm</li> <li>6-6.5</li> <li>198</li> <li>7-7.5</li> <li>208</li> <li>8-8.5</li> <li>215</li> <li>9-9.5</li> <li>235</li> <li>XL</li> <li>250</li> </ul>	<ul> <li>Nitrile over natural rubber</li> <li>Anatomically shaped for comfort</li> <li>Pure cotton lining to absorb perspiration</li> <li>Anti-slip pattern for good grip in wet and dry condition</li> <li>Straight cuff</li> <li>Bacteriostatic and fungistatic additives</li> <li>Chlorinated for improved chemical resistance</li> <li>Low in soluble proteins</li> <li>Horticulture, Household applications, Facility maintenance</li> <li>Natural/Nitrile blended rubber</li> <li>0.55 +/- 0.05 mm</li> <li>Flocklined</li> <li>Honeycomb CIH</li> <li>Chlorinated</li> <li>Straight unpinked</li> <li>Chlorinated</li> <li>Red on Orange R1/O13, Yellow on Yellow Y7/Y6, Blue 1.00</li> <li>Conforms to PPE Regulation EU 2016/425 to (Simple Definiternally at DPL's ISO 17025 Accredited Laboratory</li> <li>ASTM D4679 of 2002</li> <li>Size</li> <li>Palm</li> <li>Wrist</li> <li>6-6.5</li> <li>198</li> <li>183</li> <li>7-7.5</li> <li>208</li> <li>190</li> <li>8-8.5</li> <li>215</li> <li>202</li> <li>9-9.5</li> <li>235</li> <li>226</li> <li>XL</li> <li>250</li> <li>237</li> <li>Circumference in mm, +/</li> </ul>	<ul> <li>Nitrile over natural rubber</li> <li>Anatomically shaped for comfort</li> <li>Pure cotton lining to absorb perspiration</li> <li>Anti-slip pattern for good grip in wet and dry conditions</li> <li>Straight cuff</li> <li>Bacteriostatic and fungistatic additives</li> <li>Chlorinated for improved chemical resistance</li> <li>Low in soluble proteins</li> <li>Horticulture, Household applications, Facility maintenance</li> <li>Natural/Nitrile blended rubber</li> <li>0.55 +/- 0.05 mm</li> <li>Flocklined</li> <li>Honeycomb CIH</li> <li>Chlorinated</li> <li>Straight unpinked</li> <li>Chlorinated</li> <li>Red on Orange R1/O13, Yellow on Yellow Y7/Y6, Blue on Blue B16</li> <li>1.00</li> <li>Conforms to PPE Regulation EU 2016/425 to (Simple Design) Person internally at DPL's ISO 17025 Accredited Laboratory</li> <li>ASTM D4679 of 2002</li> <li>Size</li> <li>Palm</li> <li>Wrist</li> <li>Cuff</li> <li>6-6.5</li> <li>198</li> <li>183</li> <li>248</li> <li>7-7.5</li> <li>208</li> <li>190</li> <li>251</li> <li>8-8.5</li> <li>215</li> <li>202</li> <li>268</li> <li>9-9.5</li> <li>235</li> <li>226</li> <li>280</li> <li>XL</li> <li>250</li> <li>237</li> <li>293</li> <li>Circumference in mm, +/- 5 mm</li> </ul>	<ul> <li>Nitrile over natural rubber</li> <li>Anatomically shaped for comfort</li> <li>Pure cotton lining to absorb perspiration</li> <li>Anti-slip pattern for good grip in wet and dry conditions</li> <li>Straight cuff</li> <li>Bacteriostatic and fungistatic additives</li> <li>Chlorinated for improved chemical resistance</li> <li>Low in soluble proteins</li> <li>Horticulture, Household applications, Facility maintenance</li> <li>Natural/Nitrile blended rubber</li> <li>0.55 +/- 0.05 mm</li> <li>Flocklined</li> <li>Honeycomb CIH</li> <li>Chlorinated</li> <li>Straight unpinked</li> <li>Chlorinated</li> <li>Red on Orange R1/O13, Yellow on Yellow Y7/Y6, Blue on Blue B16/B15</li> <li>1.00</li> <li>Conforms to PPE Regulation EU 2016/425 to (Simple Design) Personal Protective Equipment internally at DPL's ISO 17025 Accredited Laboratory</li> <li>ASTM D4679 of 2002</li> <li>Size</li> <li>Palm</li> <li>Wrist</li> <li>Cuff</li> <li>Length</li> <li>6-6.5</li> <li>198</li> <li>183</li> <li>248</li> <li>330</li> <li>7-7.5</li> <li>208</li> <li>190</li> <li>251</li> <li>330</li> <li>8-8.5</li> <li>215</li> <li>202</li> <li>268</li> <li>330</li> <li>9-9.5</li> <li>235</li> <li>226</li> <li>280</li> <li>330</li> <li>XL</li> <li>250</li> <li>237</li> <li>293</li> <li>330</li> <li>Circumference in mm, +/-5 mm</li> <li>Tol. +/- 10 mm</li> </ul>

Protection against Chemical hazards		Performance	Degradation %
EN 374			
	* Sulphuric acid 96% (L)	Level 2	0
	* Sodium hydroxide 40% (K)	Level 4	0
	* Methanol (A)	Level 0	0

Protection against Mechanical hazards		Performance
EN 388	* Abrasion resistance	Level 2
	* Blade cut resistance	Level 0
	* Tear resistance	Level 1
	* Puncture resistance	Level 0

Note: Printed copies are valid only on the date printed **Printed Date: 05-Jan-2022** 



Revision:3 Published Date: 02-Sep-2019

No: 400, Deans Road, Colombo 10, Sri Lanka Phone: +94-0122-683-964 Fax: +94-0122-699-018 E-Mail: postmast@dplgroup.com