

Description: Extra light weight flock lined natural rubber gloves

- Features & Benefits:
- * Anatomically shaped for comfort
 - * Anti-slip pattern for good grip in wet and dry conditions
 - * Compliant with (EC) No.1935/2004, EU 10/2011 & BFR XXI (Yellow)
 - * Improved sensitivity and dexterity
 - * Natural rubber
 - * Pinked or straight cuff
 - * Pure cotton lining to absorb perspiration

Applications: Agriculture, Chemical Industry, Food Industry, Pharmaceutical, Facility maintenance

Elastomer: Natural rubber

Thickness: 0.40 +/- 0.04 mm

Lining: Flocklined

Former: Honeycomb CIH

Exterior: Finished smooth

Cuff Types: Pinked or Straight

Treatments: Chlorinated/Unchlorinated

Colours: Pink P2, Yellow Y1

AQL - Critical: 1.5

Major: 4

CE Certification: Conforms to PPE Regulation EU 2016/425 to(Complex Design) Personal Protective Equipment after assessment against standards EN 374-1:2016+A1:2018, EN 374-5:2016,EN 388:2016+A1:2018 and EN ISO 21420:2020

Conforms to: ASTM D4679 of 2021


Physical Dimensions:	Size	Palm	Wrist	Cuff	Length
	7-7.5	208	190	251	300
	8-8.5	215	202	268	300
	9-9.5	235	226	280	300
		Circumference in mm, +/- 5 mm		Tol. +/- 10 mm	

Shelf Life 3 Years

EN 374-4

Protection against Chemical hazards	Performance	Degradation %
-------------------------------------	-------------	---------------

EN ISO 374-1/TYPE A



* Sodium hydroxide 40% (K)	Level 6	-0.1
* Sulphuric acid 96% (L)	Level 2	50.1
* Nitric acid 65% (M)	Level 4	16.3
* Acetic acid 99% (N)	Level 1	30.6
* Ammonium hydroxide 25% (O)	Level 1	-26.6
* Hydrogen peroxide 30% (P)	Level 5	14.7
* Formaldehyde 37% (T)	Level 6	12.9
* Hydrofluoric acid 40% (S)	Level 5	X

Note: Printed copies are valid only on the date printed

Printed Date: 28-Nov-2023

Revision:5

Published Date: 28-Nov-2023



No: 400, Deans Road, Colombo 10, Sri Lanka

Phone: +94-0122-683-964

Fax: +94-0122-699-018

E-Mail: postmast@dplgroup.com

Protection against Mechanical hazards		Performance
---------------------------------------	--	-------------

EN 388



- * Abrasion resistance
- * Blade cut resistance
- * Tear resistance
- * Puncture resistance
- * TDM cut resistance

Level 1
Level 0
Level 1
Level 0
X

Protection against Micro-organisms risk		Performance
---	--	-------------

EN ISO 374-5



- * Protection against bacteria and fungi
- * Protection against viruses

Pass
Pass