INTERFACE PLUS

81038-M00-GA330

Description: Unlined nitrile gloves, 15mil

Features & * Anti-slip pattern for good grip in wet and dry conditions

Benefits: * Ingredients comply with FDA regulations for food contat (Green, Blue)

* Chlorine washed

* Extra thick for added protection

* Manufactured under a stringent quality management system

* Nitrile rubber for solvent resistance* Outstanding abrasion resistance

* Straight cuff

Applications: Food Industry, Laboratories, Printing Industry, Facility maintenance, Ceramic industry

Elastomer: Nitrile rubber
Thickness: 0.38 +/- 0.05 mm
Lining: Unlined chlorinated
Former: Reverse Lozenge, CVIL
Exterior: Finished smooth

Cuff Types: Straight
Treatments: Chlorinated

Colours: Blue B14, Green G34, Green G8, Green G39

AQL - Critical: 1.5 Major: 4

CE Certification: Conforms to PPE Regulation EU 2016/425 to(Complex Design) Personal Protective Equipment after assessment

Circumference in mm, +/- 10 mm

against standards EN 374-1:2016+A1:2018, EN 374-5:2016, EN 388:2016+A1:2018 and EN ISO 21420:2020

Tol. +/- 10 mm

Conforms to:

Physical	Size	Palm	Wrist	Cuff	Length
Dimensions:	6	195	185	284	330
	7	214	206	296	330
	8	220	218	302	330
	9	244	234	310	330
	10	268	256	326	330
	11	278	268	330	330

Shelf Life 5 Years

EN 374-4

Protection against Chemical hazards		Performance	Degradation %
EN ISO 374-1/TYPE A			
	* Methanol (A)	Level 2	76.9
	* Hydrogen peroxide 30% (P)	Level 6	1.2
	* Diethylamine (G)	Level 1	82.4
	* n-Heptane (J)	Level 6	10.6
AJKLMNOPST	* Formaldehyde 37% (T)	Level 6	-20.1
	* Sodium hydroxide 40% (K)	Level 6	-23.5
	* Sulphuric acid 96% (L)	Level 4	49.7
	* Nitric acid 65% (M)	Level 3	94.8
	* Acetic acid 99% (N)	Level 3	81.4
	* Ammonium hydroxide 25% (O)	Level 5	13.9
	* Hydrofluoric acid 40% (S)	Level 4	X

Note: Printed copies are valid only on the date printed

Printed Date: 29-Nov-2023

Published Date: 22-Mar-2022

No: 400, Deans Road, Colombo 10, Sri Lanka

Phone: +94-0122-683-964 Fax: +94-0122-699-018 E-Mail: postmast@dplgroup.com



Revision:5

INTERFACE PLUS

81038-M00-GA330

Protection against Mechanical hazards Performance * Abrasion resistance Level 3 EN 388 * Blade cut resistance Level 1 * Tear resistance Level 0 * Puncture resistance Level 1 * TDM cut resistance X

Protection against Micro-organisms risk Performance EN ISO 374-5 * Protection against bacteria and fungi Pass * Protection against viruses Pass



Note: Printed copies are valid only on the date printed Printed Date: 29-Nov-2023 Published Date: 22-Mar-2022



No: 400, Deans Road, Colombo 10, Sri Lanka Phone: +94-0122-683-964

Fax: +94-0122-699-018 E-Mail: postmast@dplgroup.com

Revision:5