

Description: Unlined nitrile gloves, 11 mil

- Features & Benefits:
- \* Nitrile rubber for better chemical resistance
  - \* Specially formulated skin friendly glove with free of Sulphur, accelerator and minimum quantity of residual chemicals
  - \* Free of chemical allergy ( Type IV allergy)
  - \* Free of latex protein allergy ( Type I allergy)
  - \* Higher flexibility and less hand fatigue
  - \* Anti-slip pattern for good grip in wet and dry conditions
  - \* Improved abrasion resistance
  - \* Compliant with (EC) No.1935/2004, EU 10/2011 & BFR XXI
  - \* Manufactured under a stringent quality management system
  - \* Non-irritant according to ISO 10993-10:2010 (Test for irritation and skin sensitization)



Applications: Food Handling, Food Processing, Industrial Cleaning, Laboratory Work, Food service, Cosmetics, Light duty maintenance and clean up

Elastomer: Nitrile rubber

Thickness: 0.28 +/- 0.05 mm

Lining: Unlined

Former: Reverse Lozenge, CVIL

Exterior: Finished smooth

Cuff Types: Straight

Treatments:

Colours: Blue B14

AQL - Critical: 1.5

Major: 4

CE Certification: Conforms to PPE Regulation EU 2016/425 to (Complex Design) Personal Protective Equipment after assessment against standards EN 374-1:2016+A1:2018, EN 374-5:2016, EN 388:2016+A1:2018 and EN ISO 21420:2020


Conforms to: ASTM D4679 of 2021

Physical Dimensions:	Size	Palm	Wrist	Cuff	Length
	6	195	185	284	330
	7	214	206	296	330
	8	220	218	302	330
	9	244	234	310	330
	10	268	256	326	330
	11	278	268	330	330

Circumference in mm, +/- 10 mm      Tol. +/- 10 mm

Shelf Life 5 Years

EN374-4

Protection against Chemical hazards	Performance	Degradation %
EN ISO 374-1/TYPE A		
 * n-Heptane (J)	Level 6	30.5
* Sodium hydroxide 40% (K)	Level 6	-48.6
* Sulphuric acid 96% (L)	Level 2	96.9
* Nitric acid 65% (M)	Level 2	96
* Acetic acid 99% (N)	Level 2	98.8
* Ammonium hydroxide 25% (O)	Level 3	26.8
* Hydrogen peroxide 30% (P)	Level 6	-19

Note: Printed copies are valid only on the date printed

Printed Date: 28-Nov-2023

Revision: 10

Published Date: 28-Nov-2023

**DPL**  
Handling you with care

No: 400, Deans Road, Colombo 10, Sri Lanka

Phone: +94-0122-683-964

Fax: +94-0122-699-018

E-Mail: postmast@dplgroup.com

Protection against Mechanical hazards		Performance
---------------------------------------	--	-------------

EN 388



- \* Abrasion resistance
- \* Blade cut resistance
- \* Tear resistance
- \* Puncture resistance
- \* TDM cut resistance

Level 3  
Level 0  
Level 0  
Level 1  
X

Protection against Micro-organisms risk		Performance
---	--	-------------

EN ISO 374-5



- \* Protection against bacteria and fungi
- \* Protection against viruses

Pass  
n/a