

Description: Flock lined neoprene gloves

- Features & Benefits:
- \* Neoprene for chemical resistance
  - \* Pure cotton lining to absorb perspiration
  - \* Anti-slip pattern for good grip in wet and dry conditions
  - \* Straight cuff
  - \* Bacteriostatic and fungistatic additives
  - \* Manufactured under a stringent quality management system

Applications: Automotive Industry, Chemical Industry, Oil Refining, Facility maintenance

Elastomer: Neoprene rubber

Thickness: 0.75 +/- 0.07 mm

Lining: Flocklined

Former: Honeycomb, CIHH

Exterior: Finished smooth

Cuff Types: Straight

Treatments: Un-chlorinated

Colours: Black D2, Blue B2

AQL - Critical: 1.5

Major: 4



CE Certification: Conforms to PPE Regulation EU 2016/425 to (Complex Design) Personal Protective Equipment after assessment against standards EN 374-1:2016+A1:2018, EN 374-5:2016, EN 388:2016+A1:2018 and EN ISO 21420:2020

Conforms to: ASTM D4679 of 2021

Physical Dimensions:	Size	Palm	Wrist	Cuff	Length
	6-6.5	187	190	244	300
	7-7.5	203	203	250	300
	8-8.5	218	216	260	300
	9-9.5	228	232	293	300
	10-10.5	239	240	296	310
	11-11.5	252	256	308	310

Circumference in mm, +/- 5 mm      Tol. +/- 10 mm

Shelf Life 5 Years

EN 374-4

Protection against Chemical hazards	Performance	Degradation %
-------------------------------------	-------------	---------------

EN ISO 374-1/TYP A



* Methanol (A)	Level 3	3.8
* n-Heptane (J)	Level 1	30.8
* Sodium hydroxide 40% (K)	Level 6	-0.1
* Sulphuric acid 96% (L)	Level 4	23.5
* Nitric acid 65% (M)	Level 6	19.3
* Acetic acid 99% (N)	Level 5	19
* Ammonium hydroxide 25% (O)	Level 3	-12.9
* Hydrogen peroxide 30% (P)	Level 6	-2.8
* Formaldehyde 37% (T)	Level 6	6.7
* Hydrofluoric acid 40% (S)	Level 6	X

Note: Printed copies are valid only on the date printed

Printed Date: 29-Nov-2023

Revision:6

Published Date: 29-Nov-2023



No: 400, Deans Road, Colombo 10, Sri Lanka

Phone: +94-0122-683-964

Fax: +94-0122-699-018

E-Mail: postmast@dplgroup.com

**Protection against Mechanical hazards** Performance



EN 388

- \* Abrasion resistance
- \* Blade cut resistance
- \* Tear resistance
- \* Puncture resistance
- \* TDM cut resistance

Level 3  
Level 1  
Level 1  
Level 0  
X

**Protection against Micro-organisms risk** Performance



EN ISO 374-5

- \* Protection against bacteria and fungi
- \* Protection against viruses

Pass  
Pass